

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S207	2	("20020110095"   "20020172208").PN.	US-PGPUB; USPAT	ADJ	ON	2009/01/06 11:48
S208	1	"10571607"	US-PGPUB; USPAT	ADJ	ON	2009/01/06 12:16
S214	1489	((("370"/.clas. or "373"/.clas. or "455"/.clas. or "700"/.clas. or "704"/.clas. or "709"/.clas. or "714"/.clas. or "725"/.clas. or "514"/.clas. or "424"/.clas. or "235"/.clas. or "380"/.clas. OR "2\$2"/.clas. or "3\$2"/.clas. or "4\$2"/.clas. or "5\$2"/.clas. or "7\$2"/.clas. or 235/380.ccls. or 340/309.ccls. or 340/539.ccls. or 368/10.ccls. or 369/53.ccls OR 370/252.ccls. or 370/310.ccls. or 370/311.ccls. or 370/320.ccls. or 370/328.ccls. or 370/329.ccls. or 370/331.ccls. or 370/335.ccls. or 370/338.ccls. or 370/342.ccls. or 370/352.ccls. or 370/392.ccls. or 370/395.ccls. or 370/401.ccls. or 370/411.ccls. or 370/468.ccls. or 370/428.ccls. or 370/338.ccls. or 370/349.ccls. or 370/402.ccls. or 370/349.ccls. or 370/402.ccls. or 370/389.ccls. 375/009.ccls. or 375/024.ccls. or 380/282.ccls OR 424/439.ccls. or 455/400-410.ccls. or 455/403.ccls. or 455/410.ccls. or 455/426.ccls. or 455/432.ccls. or 455/436.ccls. or 455/466.ccls. or 455/410.ccls. or 455/461.ccls. or 455/436.ccls. or 455/550.ccls. or 455/553.ccls. OR 514/338.ccls. OR 704/228.ccls. or 706/44.ccls. or 707/8.ccls. or 709/223.ccls. or 709/246.ccls. or 709/219.ccls. or	US-PGPUB; USPAT	ADJ	ON	2009/01/06 12:25

		709/224.ccls. or 709/227. ccls. or 709/230.ccls. or 709/245.ccls. or 713/167. ccls. or 714/732.ccls. or 714/734.ccls. or 714/736. ccls. or 725/38.ccls. ) and (@ad<"20031020")) and (transmit and receive and data and packet and mobile) and (multimedia ) and (circuit and packet and switch )				
S215	24	((("370"/.clas. or "373"/.clas. or "455"/.clas. or "700"/.clas. or "704"/.clas. or "709"/.clas. or "714"/.clas. or "725"/.clas. or "514"/.clas. or "424"/.clas. or "235"/.clas. or "380"/.clas. OR "2\$2"/.clas. or "3\$2"/. clas. or "4\$2"/.clas. or "5\$2"/. clas. or "7\$2"/.clas. or 235/380.ccls. or 340/309. ccls. or 340/539.ccls. or 368/10.ccls. or 369/53.ccls OR 370/252.ccls. or 370/310. ccls. or 370/311.ccls. or 370/320.ccls. or 370/328. ccls. or 370/329.ccls. or 370/331.ccls. or 370/335. ccls. or 370/338.ccls. or 370/342.ccls. or 370/352. ccls. or 370/392.ccls. or 370/395.ccls. or 370/401. ccls. or 370/411.ccls. or 370/468.ccls. or 370/428. ccls. or 370/338.ccls. or 370/349.ccls. or 370/402. ccls. or 370/349.ccls. or 370/402.ccls. or 370/389. ccls. 375/009.ccls. or 375/024.ccls. or 380/282.ccls OR 424/439.ccls. or 455/400- 410.ccls. or 455/403.ccls. or 455/410.ccls. or 455/426. ccls. or 455/432.ccls. or 455/436.ccls. or 455/466. ccls. or 455/410.ccls. or 455/461.ccls. or 455/436. ccls. or 455/550.ccls. or 455/553.ccls. OR 514/338. ccls. OR 704/228.ccls. or 706/44.ccls. or 707/8.ccls. or 709/223.ccls. or 709/246. ccls. or 709/219.ccls. or 709/224.ccls. or 709/227.	US-PGPUB; USPAT	ADJ	ON	2009/01/06 12:26

		ccls. or 709/230.ccls. or 709/245.ccls. or 713/167.ccls. or 714/732.ccls. or 714/734.ccls. or 714/736.ccls. or 725/38.ccls. ) and (@ad<"20031020")) and (transmit and receive and data and packet and mobile) and (multimedia ) and (circuit and packet and switch ) and (node or terminal) and (RLC layer )				
S217	3	"20020054578"	US-PGPUB; USPAT	ADJ	ON	2009/01/06 16:20
S218	24	((("370"/.clas. or "373"/.clas. or "455"/.clas. or "700"/.clas. or "704"/.clas. or "709"/.clas. or "714"/.clas. or "725"/.clas. or "514"/.clas. or "424"/.clas. or "235"/.clas. or "380"/.clas. OR "2\$2"/.clas. or "3\$2"/.clas. or "4\$2"/.clas. or "5\$2"/.clas. or "7\$2"/.clas. or 235/380.ccls. or 340/309.ccls. or 340/539.ccls. or 368/10.ccls. or 369/53.ccls OR 370/252.ccls. or 370/310.ccls. or 370/311.ccls. or 370/320.ccls. or 370/328.ccls. or 370/329.ccls. or 370/331.ccls. or 370/335.ccls. or 370/338.ccls. or 370/342.ccls. or 370/352.ccls. or 370/392.ccls. or 370/395.ccls. or 370/401.ccls. or 370/411.ccls. or 370/468.ccls. or 370/428.ccls. or 370/338.ccls. or 370/349.ccls. or 370/402.ccls. or 370/349.ccls. or 370/402.ccls. or 370/389.ccls. 375/009.ccls. or 375/024.ccls. or 380/282.ccls OR 424/439.ccls. or 455/400-410.ccls. or 455/403.ccls. or 455/410.ccls. or 455/426.ccls. or 455/432.ccls. or 455/436.ccls. or 455/466.ccls. or 455/410.ccls. or 455/461.ccls. or 455/436.ccls. or 455/550.ccls. or 455/553.ccls. OR 514/338.ccls. OR 704/228.ccls. or 706/44.ccls. or 707/8.ccls. or 709/223.ccls. or 709/246.	US-PGPUB; USPAT	ADJ	ON	2009/01/07 10:27

		ccls. or 709/219.ccls. or 709/224.ccls. or 709/227.ccls. or 709/230.ccls. or 709/245.ccls. or 713/167.ccls. or 714/732.ccls. or 714/734.ccls. or 714/736.ccls. or 725/38.ccls. ) and (@ad<"20031020")) and (transmit and receive and data and packet and mobile) and (multimedia ) and (circuit and packet and switch ) and (node or terminal) and (RLC layer) and ( protocol)				
S219	6	((("370"/.clas. or "373"/.clas. or "455"/.clas. or "700"/.clas. or "704"/.clas. or "709"/.clas. or "714"/.clas. or "725"/.clas. or "514"/.clas. or "424"/.clas. or "235"/.clas. or "380"/.clas. OR "2\$2"/.clas. or "3\$2"/.clas. or "4\$2"/.clas. or "5\$2"/.clas. or "7\$2"/.clas. or 235/380.ccls. or 340/309.ccls. or 340/539.ccls. or 368/10.ccls. or 369/53.ccls OR 370/252.ccls. or 370/310.ccls. or 370/311.ccls. or 370/320.ccls. or 370/328.ccls. or 370/329.ccls. or 370/331.ccls. or 370/335.ccls. or 370/338.ccls. or 370/342.ccls. or 370/352.ccls. or 370/392.ccls. or 370/395.ccls. or 370/401.ccls. or 370/411.ccls. or 370/468.ccls. or 370/428.ccls. or 370/338.ccls. or 370/349.ccls. or 370/402.ccls. or 370/349.ccls. or 370/402.ccls. or 370/389.ccls. 375/009.ccls. or 375/024.ccls. or 380/282.ccls OR 424/439.ccls. or 455/400-410.ccls. or 455/403.ccls. or 455/410.ccls. or 455/426.ccls. or 455/432.ccls. or 455/436.ccls. or 455/466.ccls. or 455/410.ccls. or 455/461.ccls. or 455/436.ccls. or 455/550.ccls. or 455/553.ccls. OR 514/338.ccls. OR 704/228.ccls. or 706/44.ccls. or 707/8.ccls. or	US-PGPUB; USPAT	ADJ	ON	2009/07/16 18:18

		709/223.ccls. or 709/246.ccls. or 709/219.ccls. or 709/224.ccls. or 709/227.ccls. or 709/230.ccls. or 709/245.ccls. or 713/167.ccls. or 714/732.ccls. or 714/734.ccls. or 714/736.ccls. or 725/38.ccls. ) and (@ad<"20031020")) and (transmit and receive and data and packet and mobile) and (multimedia ) and (circuit and packet and switch ) and (node or terminal) and (RLC layer) and ( protocol) and (disabl\$4) and sequence				
S220	0	disabling an in-sequence delivery option of packets	US-PGPUB; USPAT	SAME	OFF	2009/07/16 18:34
S224	2	(disabl\$4 sequence\$4 delivery option packets)	US-PGPUB; USPAT	SAME	OFF	2009/07/16 18:35
S225	0	(@ad<"20030912") and (disabl\$4 sequence\$4 delivery option packets)	US-PGPUB; USPAT	SAME	OFF	2009/07/16 19:29
S229	6	((("370"/.clas. or "373"/.clas. or "455"/.clas. or "700"/.clas. or "704"/.clas. or "709"/.clas. or "714"/.clas. or "725"/.clas. or "514"/.clas. or "424"/.clas. or "235"/.clas. or "380"/.clas. OR "2\$2"/.clas. or "3\$2"/.clas. or "4\$2"/.clas. or "5\$2"/.clas. or "7\$2"/.clas. or 235/380.ccls. or 340/309.ccls. or 340/539.ccls. or 368/10.ccls. or 369/53.ccls OR 370/252.ccls. or 370/310.ccls. or 370/311.ccls. or 370/320.ccls. or 370/328.ccls. or 370/329.ccls. or 370/331.ccls. or 370/335.ccls. or 370/338.ccls. or 370/342.ccls. or 370/352.ccls. or 370/392.ccls. or 370/395.ccls. or 370/401.ccls. or 370/411.ccls. or 370/468.ccls. or 370/428.ccls. or 370/338.ccls. or 370/349.ccls. or 370/402.ccls. or 370/349.ccls. or 370/402.ccls. or 370/389.ccls. 375/009.ccls. or 375/024.ccls. or 380/282.ccls OR 424/439.ccls. or 455/400-	US-PGPUB; USPAT	ADJ	ON	2009/07/16 19:32

		410.ccls. or 455/403.ccls. or 455/410.ccls. or 455/426.ccls. or 455/432.ccls. or 455/436.ccls. or 455/466.ccls. or 455/410.ccls. or 455/461.ccls. or 455/436.ccls. or 455/550.ccls. or 455/553.ccls. OR 514/338.ccls. OR 704/228.ccls. or 706/44.ccls. or 707/8.ccls. or 709/223.ccls. or 709/246.ccls. or 709/219.ccls. or 709/224.ccls. or 709/227.ccls. or 709/230.ccls. or 709/245.ccls. or 713/167.ccls. or 714/732.ccls. or 714/734.ccls. or 714/736.ccls. or 725/38.ccls. ) and (@ad<"20031020") and (transmit and receive and data and packet and mobile) and (multimedia ) and (circuit and packet and switch ) and (node or terminal) and (RLC layer) and ( protocol) and (disabl \$4) and sequence				
S230	5	((("370"/.clas. or "373"/.clas. or "455"/.clas. or "700"/.clas. or "704"/.clas. or "709"/.clas. or "714"/.clas. or "725"/.clas. or "514"/.clas. or "424"/.clas. or "235"/.clas. or "380"/.clas. OR "2\$2"/.clas. or "3\$2"/.clas. or "4\$2"/.clas. or "5\$2"/.clas. or "7\$2"/.clas. or 235/380.ccls. or 340/309.ccls. or 340/539.ccls. or 368/10.ccls. or 369/53.ccls OR 370/252.ccls. or 370/310.ccls. or 370/311.ccls. or 370/320.ccls. or 370/328.ccls. or 370/329.ccls. or 370/331.ccls. or 370/335.ccls. or 370/338.ccls. or 370/342.ccls. or 370/352.ccls. or 370/392.ccls. or 370/395.ccls. or 370/401.ccls. or 370/411.ccls. or 370/468.ccls. or 370/428.ccls. or 370/338.ccls. or 370/349.ccls. or 370/402.ccls. or 370/349.ccls. or 370/402.ccls. or 370/389.ccls. 375/009.ccls. or	US-PGPUB; USPAT	ADJ	ON	2009/07/16 19:40

		375/024.ccls. or 380/282.ccls. OR 424/439.ccls. or 455/400-410.ccls. or 455/403.ccls. or 455/410.ccls. or 455/426.ccls. or 455/432.ccls. or 455/436.ccls. or 455/466.ccls. or 455/410.ccls. or 455/461.ccls. or 455/436.ccls. or 455/550.ccls. or 455/553.ccls. OR 514/338.ccls. OR 704/228.ccls. or 706/44.ccls. or 707/8.ccls. or 709/223.ccls. or 709/246.ccls. or 709/219.ccls. or 709/224.ccls. or 709/227.ccls. or 709/230.ccls. or 709/245.ccls. or 713/167.ccls. or 714/732.ccls. or 714/734.ccls. or 714/736.ccls. or 725/38.ccls. ) and (@ad<"20030912")) and (transmit and receive and data and packet and mobile) and (multimedia ) and (circuit and packet and switch ) and (node or terminal) and (RLC layer) and ( protocol) and (disabl\$4) and sequence				
S231	5	(@ad<"20030912") and (transmit and receive and data and packet and mobile) and (multimedia ) and (circuit and packet and switch ) and (node or terminal) and (RLC layer) and ( protocol) and (disabl\$4) and sequence	US-PGPUB; USPAT	ADJ	ON	2009/07/16 19:44
S232	18	(@ad<"20030912") and (RLC layer) and ( protocol) and (disabl\$4) and sequence	US-PGPUB; USPAT	ADJ	ON	2009/07/16 19:44
S233	5	(@ad<"20030912") and (RLC layer) and ( protocol) and (disabl\$4) and sequence and window and size	US-PGPUB; USPAT	ADJ	ON	2009/07/17 10:49
S234	29	(@ad<"20030912") and (RLC) and ( protocol) and (disabl\$4) and sequence and window and size and tcp	US-PGPUB; USPAT	ADJ	ON	2009/07/17 11:01

S237	0	(@ad<"20030912") and (RLC) and ( protocol ) and (disabl\$4) and ( sequence) and window and size and tcp and multimedia and (push to watch)	US-PGPUB; USPAT	ADJ	ON	2009/07/17 12:08
S240	38	"172208"	US-PGPUB; USPAT	ADJ	ON	2009/07/17 12:38
S241	61	"110095"	US-PGPUB; USPAT	ADJ	ON	2009/07/17 12:40
S246	11	US "2002" "172208"	US-PGPUB; USPAT	AND	ON	2009/07/17 12:44
S247	17	US "2002"\$"172208"	US-PGPUB; USPAT	AND	ON	2009/07/17 12:44
S249	1	("20020172208").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/17 12:45
S250	1	("20020110095").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/17 14:01

7/ 17/ 2009 6:55:06 PM

C:\ Documents and Settings\ mpatel4\ My Documents\ EAST\ Workspaces\ EAST Workspace - 10571607 - RadioResourceUsage\_POST.wsp